



Alumina Ceramic Thermocouple Insulators

You can rest assured to buy customized Alumina Ceramic Thermocouple Insulators from Engineering Ceramic. We look forward to cooperating with you, if you want to know more, you can consult us now, we will reply to you in time!

Product Description

Engineering Ceramics Co., Ltd. is a professional Alumina Ceramic Thermocouple Insulators manufacturer and supplier of ceramic thermocouple insulators in China with more than 20 years of manufacturing history. We have 8 kilns, over 350 types and 10,000 pcs standard size are in stock. Engineering Ceramic Co., Ltd.'s ceramic thermocouple insulators, are selling over 60 counties in worldwide, with stable quality and stable price.

We produce ceramic thermocouple insulators for different purposes, using extrusion technology, wide range of sizes, single hole, double hole, four holes, ten holes and other hole types, and the shapes are round, oval, square, etc. We manufacture ceramic thermocouple insulators with 99.7% alumina content and the max working temperature is 1800°C.

Engineering Ceramics Co., Ltd. was established in 2003. It is the largest manufacturer of ceramic thermocouple insulators in China. It has rich production experience. We have an authoritative test report issued by Lucideon Limited laboratory. From product production, testing, packaging, transportation, we have a complete system. Ensure that customers receive high-quality, cost-effective products.

Inch			Millimeter		
Inch	Outside Diameter	Inside Diameter	Length Range	Outside Diameter	Inside Diameter
4.000-6.875 in	0.02 in	0.008 in	102-174 mm	0.51 mm	0.2 mm
6.876-12.875 in	0.02 in	0.008 in	175-327 mm	0.51 mm	0.2 mm
12.876-18.875	0.02 in	0.008 in	328-479 mm	0.51 mm	0.2 mm

in					
4.000-6.875 in	0.025 in	0.012 in	102-174 mm	0.64 mm	0.3 mm
6.876-12.875 in	0.025 in	0.012 in	175-327 mm	0.64 mm	0.3 mm
12.876-18.875 in	0.025 in	0.012 in	328-479 mm	0.64 mm	0.3 mm
4.000-6.875 in	0.031 in	0.02 in	102-174 mm	0.79 mm	0.51 mm
6.876-12.875 in	0.031 in	0.02 in	175-327 mm	0.79 mm	0.51 mm
12.876-18.875 in	0.031 in	0.02 in	328-479 mm	0.79 mm	0.51 mm
4.000-6.875 in	0.047 in	0.016 in	102-174 mm	1.19 mm	0.41 mm
6.876-12.875 in	0.047 in	0.016 in	175-327 mm	1.19 mm	0.41 mm
12.876-18.875 in	0.047 in	0.016 in	328-479 mm	1.19 mm	0.41 mm
18.876-24.875 in	0.047 in	0.016 in	480-631 mm	1.19 mm	0.41 mm
4.000-6.875 in	0.062 in	0.031 in	102-174 mm	1.57 mm	0.79 mm
6.876-12.875 in	0.062 in	0.031 in	175-327 mm	1.57 mm	0.79 mm
12.876-18.875 in	0.062 in	0.031 in	328-479 mm	1.57 mm	0.79 mm
18.876-24.875 in	0.062 in	0.031 in	480-631 mm	1.57 mm	0.79 mm
24.876-30.875 in	0.062 in	0.031 in	632-784 mm	1.57 mm	0.79 mm
4.000-6.875 in	0.078 in	0.047 in	102-174 mm	1.98 mm	1.19 mm
6.876-12.875 in	0.078 in	0.047 in	175-327 mm	1.98 mm	1.19 mm
12.876-18.875 in	0.078 in	0.047 in	328-479 mm	1.98 mm	1.19 mm
18.876-24.875 in	0.078 in	0.047 in	480-631 mm	1.98 mm	1.19 mm
24.876-30.875 in	0.078 in	0.047 in	632-784 mm	1.98 mm	1.19 mm

30.876-36.875 in	0.078 in	0.047 in	785-936 mm	1.98 mm	1.19 mm
4.000-6.875 in	0.094 in	0.062 in	102-174 mm	2.39 mm	1.57 mm
6.876-12.875 in	0.094 in	0.062 in	175-327 mm	2.39 mm	1.57 mm
12.876-18.875 in	0.094 in	0.062 in	328-479 mm	2.39 mm	1.57 mm
18.876-24.875 in	0.094 in	0.062 in	480-631 mm	2.39 mm	1.57 mm
24.876-30.875 in	0.094 in	0.062 in	632-784 mm	2.39 mm	1.57 mm
30.876-36.875 in	0.094 in	0.062 in	785-936 mm	2.39 mm	1.57 mm
4.000-6.875 in	0.125 in	0.062 in	102-174 mm	3.18 mm	1.57 mm
6.876-12.875 in	0.125 in	0.062 in	175-327 mm	3.18 mm	1.57 mm
12.876-18.875 in	0.125 in	0.062 in	328-479 mm	3.18 mm	1.57 mm
18.876-24.875 in	0.125 in	0.062 in	480-631 mm	3.18 mm	1.57 mm
24.876-30.875 in	0.125 in	0.062 in	632-784 mm	3.18 mm	1.57 mm
30.876-36.875 in	0.125 in	0.062 in	785-936 mm	3.18 mm	1.57 mm
36.876-42.875 in	0.125 in	0.062 in	937-1089 mm	3.18 mm	1.57 mm
42.876-48.875 in	0.125 in	0.062 in	1090-1241 mm	3.18 mm	1.57 mm
4.000-6.875 in	0.156 in	0.094 in	102-174 mm	3.96 mm	2.39 mm
6.876-12.875 in	0.156 in	0.094 in	175-327 mm	3.96 mm	2.39 mm
12.876-18.875 in	0.156 in	0.094 in	328-479 mm	3.96 mm	2.39 mm
18.876-24.875 in	0.156 in	0.094 in	480-631 mm	3.96 mm	2.39 mm

24.876-30.875 in	0.156 in	0.094 in	632-784 mm	3.96 mm	2.39 mm
30.876-36.875 in	0.156 in	0.094 in	785-936 mm	3.96 mm	2.39 mm
36.876-42.875 in	0.156 in	0.094 in	937-1089 mm	3.96 mm	2.39 mm
42.876-48.875 in	0.156 in	0.094 in	1090-1241 mm	3.96 mm	2.39 mm
4.000-6.875 in	0.187 in	0.062 in	102-174 mm	4.75 mm	1.57 mm
6.876-12.875 in	0.187 in	0.062 in	175-327 mm	4.75 mm	1.57 mm
12.876-18.875 in	0.187 in	0.062 in	328-479 mm	4.75 mm	1.57 mm
18.876-24.875 in	0.187 in	0.062 in	480-631 mm	4.75 mm	1.57 mm
24.876-30.875 in	0.187 in	0.062 in	632-784 mm	4.75 mm	1.57 mm
30.876-36.875 in	0.187 in	0.062 in	785-936 mm	4.75 mm	1.57 mm
36.876-42.875 in	0.187 in	0.062 in	937-1089 mm	4.75 mm	1.57 mm
42.876-48.875 in	0.187 in	0.062 in	1090-1241 mm	4.75 mm	1.57 mm
4.000-6.875 in	0.187 in	0.094 in	102-174 mm	4.75 mm	2.39 mm
6.876-12.875 in	0.187 in	0.094 in	175-327 mm	4.75 mm	2.39 mm
12.876-18.875 in	0.187 in	0.094 in	328-479 mm	4.75 mm	2.39 mm
18.876-24.875 in	0.187 in	0.094 in	480-631 mm	4.75 mm	2.39 mm
24.876-30.875 in	0.187 in	0.094 in	632-784 mm	4.75 mm	2.39 mm
30.876-36.875 in	0.187 in	0.094 in	785-936 mm	4.75 mm	2.39 mm
36.876-42.875	0.187 in	0.094 in	937-1089	4.75 mm	2.39 mm

in			mm		
42.876-48.875 in	0.187 in	0.094 in	1090-1241 mm	4.75 mm	2.39 mm
4.000-6.875 in	0.219 in	0.109 in	102-174 mm	5.56 mm	2.77 mm
6.876-12.875 in	0.219 in	0.109 in	175-327 mm	5.56 mm	2.77 mm
12.876-18.875 in	0.219 in	0.109 in	328-479 mm	5.56 mm	2.77 mm
18.876-24.875 in	0.219 in	0.109 in	480-631 mm	5.56 mm	2.77 mm
24.876-30.875 in	0.219 in	0.109 in	632-784 mm	5.56 mm	2.77 mm
30.876-36.875 in	0.219 in	0.109 in	785-936 mm	5.56 mm	2.77 mm
36.876-42.875 in	0.219 in	0.109 in	937-1089 mm	5.56 mm	2.77 mm
42.876-48.875 in	0.219 in	0.109 in	1090-1241 mm	5.56 mm	2.77 mm
4.000-6.875 in	0.25 in	0.062 in	102-174 mm	6.35 mm	1.57 mm
6.876-12.875 in	0.25 in	0.062 in	175-327 mm	6.35 mm	1.57 mm
12.876-18.875 in	0.25 in	0.062 in	328-479 mm	6.35 mm	1.57 mm
18.876-24.875 in	0.25 in	0.062 in	480-631 mm	6.35 mm	1.57 mm
24.876-30.875 in	0.25 in	0.062 in	632-784 mm	6.35 mm	1.57 mm
30.876-36.875 in	0.25 in	0.062 in	785-936 mm	6.35 mm	1.57 mm
36.876-42.875 in	0.25 in	0.062 in	937-1089 mm	6.35 mm	1.57 mm
42.876-48.875 in	0.25 in	0.062 in	1090-1241 mm	6.35 mm	1.57 mm
4.000-6.875 in	0.25 in	0.125 in	102-174 mm	6.35 mm	3.18 mm

6.876-12.875 in	0.25 in	0.125 in	175-327 mm	6.35 mm	3.18 mm
12.876-18.875 in	0.25 in	0.125 in	328-479 mm	6.35 mm	3.18 mm
18.876-24.875 in	0.25 in	0.125 in	480-631 mm	6.35 mm	3.18 mm
24.876-30.875 in	0.25 in	0.125 in	632-784 mm	6.35 mm	3.18 mm
30.876-36.875 in	0.25 in	0.125 in	785-936 mm	6.35 mm	3.18 mm
36.876-42.875 in	0.25 in	0.125 in	937-1089 mm	6.35 mm	3.18 mm
42.876-48.875 in	0.25 in	0.125 in	1090-1241 mm	6.35 mm	3.18 mm
4.000-6.875 in	0.25 in	0.187 in	102-174 mm	6.35 mm	4.75 mm
6.876-12.875 in	0.25 in	0.187 in	175-327 mm	6.35 mm	4.75 mm
12.876-18.875 in	0.25 in	0.187 in	328-479 mm	6.35 mm	4.75 mm
18.876-24.875 in	0.25 in	0.187 in	480-631 mm	6.35 mm	4.75 mm
24.876-30.875 in	0.25 in	0.187 in	632-784 mm	6.35 mm	4.75 mm
30.876-36.875 in	0.25 in	0.187 in	785-936 mm	6.35 mm	4.75 mm
6.876-12.875 in	0.25 in	0.188 in	175-327 mm	6.35 mm	4.78 mm
12.876-18.875 in	0.25 in	0.188 in	328-479 mm	6.35 mm	4.78 mm
18.876-24.875 in	0.25 in	0.188 in	480-631 mm	6.35 mm	4.78 mm
6.876-12.875 in	0.276 in	0.197 in	175-327 mm	7 mm	5 mm
12.876-18.875 in	0.276 in	0.197 in	328-479 mm	7 mm	5 mm
18.876-24.875 in	0.276 in	0.197 in	480-631 mm	7 mm	5 mm

24.876-30.875 in	0.276 in	0.197 in	632-784 mm	7 mm	5 mm
30.876-36.875 in	0.276 in	0.197 in	785-936 mm	7 mm	5 mm
4.000-6.875 in	0.312 in	0.187 in	102-174 mm	7.92 mm	4.75 mm
6.876-12.875 in	0.312 in	0.187 in	175-327 mm	7.92 mm	4.75 mm
12.876-18.875 in	0.312 in	0.187 in	328-479 mm	7.92 mm	4.75 mm
18.876-24.875 in	0.312 in	0.187 in	480-631 mm	7.92 mm	4.75 mm
24.876-30.875 in	0.312 in	0.187 in	632-784 mm	7.92 mm	4.75 mm
30.876-36.875 in	0.312 in	0.187 in	785-936 mm	7.92 mm	4.75 mm
36.876-42.875 in	0.312 in	0.187 in	937-1089 mm	7.92 mm	4.75 mm
42.876-48.875 in	0.312 in	0.187 in	1090-1241 mm	7.92 mm	4.75 mm
4.000-6.875 in	0.312 in	0.218 in	102-174 mm	7.92 mm	5.54 mm
6.876-12.875 in	0.312 in	0.218 in	175-327 mm	7.92 mm	5.54 mm
12.876-18.875 in	0.312 in	0.218 in	328-479 mm	7.92 mm	5.54 mm
18.876-24.875 in	0.312 in	0.218 in	480-631 mm	7.92 mm	5.54 mm
24.876-30.875 in	0.312 in	0.218 in	632-784 mm	7.92 mm	5.54 mm
30.876-36.875 in	0.312 in	0.218 in	785-936 mm	7.92 mm	5.54 mm
6.876-12.875 in	0.375 in	0.25 in	175-327 mm	9.53 mm	6.35 mm
12.876-18.875 in	0.375 in	0.25 in	328-479 mm	9.53 mm	6.35 mm
18.876-24.875 in	0.375 in	0.25 in	480-631 mm	9.53 mm	6.35 mm

24.876-30.875 in	0.375 in	0.25 in	632-784 mm	9.53 mm	6.35 mm
30.876-36.875 in	0.375 in	0.25 in	785-936 mm	9.53 mm	6.35 mm
36.876-42.875 in	0.375 in	0.25 in	937-1089 mm	9.53 mm	6.35 mm
42.876-48.875 in	0.375 in	0.25 in	1090-1241 mm	9.53 mm	6.35 mm
48.876-54.875 in	0.375 in	0.25 in	1242-1393 mm	9.53 mm	6.35 mm
54.876-60.875 in	0.375 in	0.25 in	1394-1546 mm	9.53 mm	6.35 mm
6.876-12.875 in	0.438 in	0.313 in	175-327 mm	11.13 mm	7.95 mm
12.876-18.875 in	0.438 in	0.313 in	328-479 mm	11.13 mm	7.95 mm
18.876-24.875 in	0.438 in	0.313 in	480-631 mm	11.13 mm	7.95 mm
24.876-30.875 in	0.438 in	0.313 in	632-784 mm	11.13 mm	7.95 mm
30.876-36.875 in	0.438 in	0.313 in	785-936 mm	11.13 mm	7.95 mm
36.876-42.875 in	0.438 in	0.313 in	937-1089 mm	11.13 mm	7.95 mm
42.876-48.875 in	0.438 in	0.313 in	1090-1241 mm	11.13 mm	7.95 mm
48.876-54.875 in	0.438 in	0.313 in	1242-1393 mm	11.13 mm	7.95 mm
54.876-60.875 in	0.438 in	0.313 in	1394-1546 mm	11.13 mm	7.95 mm
6.876-12.875 in	0.5 in	0.375 in	175-327 mm	12.7 mm	9.53 mm
12.876-18.875 in	0.5 in	0.375 in	328-479 mm	12.7 mm	9.53 mm
18.876-24.875 in	0.5 in	0.375 in	480-631 mm	12.7 mm	9.53 mm

24.876-30.875 in	0.5 in	0.375 in	632-784 mm	12.7 mm	9.53 mm
30.876-36.875 in	0.5 in	0.375 in	785-936 mm	12.7 mm	9.53 mm
36.876-42.875 in	0.5 in	0.375 in	937-1089 mm	12.7 mm	9.53 mm
42.876-48.875 in	0.5 in	0.375 in	1090-1241 mm	12.7 mm	9.53 mm
6.876-12.875 in	0.688 in	0.438 in	175-327 mm	17.48 mm	11.13 mm
12.876-18.875 in	0.688 in	0.438 in	328-479 mm	17.48 mm	11.13 mm
18.876-24.875 in	0.688 in	0.438 in	480-631 mm	17.48 mm	11.13 mm
24.876-30.875 in	0.688 in	0.438 in	632-784 mm	17.48 mm	11.13 mm
6.876-12.875 in	0.75 in	0.5 in	175-327 mm	19.05 mm	12.7 mm
12.876-18.875 in	0.75 in	0.5 in	328-479 mm	19.05 mm	12.7 mm
18.876-24.875 in	0.75 in	0.5 in	480-631 mm	19.05 mm	12.7 mm
24.876-30.875 in	0.75 in	0.5 in	632-784 mm	19.05 mm	12.7 mm
30.876-36.875 in	0.75 in	0.5 in	785-936 mm	19.05 mm	12.7 mm
6.876-12.875 in	0.875 in	0.625 in	175-327 mm	22.23 mm	15.88 mm
12.876-18.875 in	0.875 in	0.625 in	328-479 mm	22.23 mm	15.88 mm
18.876-24.875 in	0.875 in	0.625 in	480-631 mm	22.23 mm	15.88 mm
24.876-30.875 in	0.875 in	0.625 in	632-784 mm	22.23 mm	15.88 mm
30.876-36.875 in	0.875 in	0.625 in	785-936 mm	22.23 mm	15.88 mm

36.876-42.875 in	0.875 in	0.625 in	937-1089 mm	22.23 mm	15.88 mm
42.876-48.875 in	0.875 in	0.625 in	1090-1241 mm	22.23 mm	15.88 mm
48.876-54.875 in	0.875 in	0.625 in	1242-1393 mm	22.23 mm	15.88 mm
54.876-60.875 in	0.875 in	0.625 in	1394-1546 mm	22.23 mm	15.88 mm
6.876-12.875 in	1 in	0.75 in	175-327 mm	25.4 mm	19.05 mm
12.876-18.875 in	1 in	0.75 in	328-479 mm	25.4 mm	19.05 mm
18.876-24.875 in	1 in	0.75 in	480-631 mm	25.4 mm	19.05 mm
24.876-30.875 in	1 in	0.75 in	632-784 mm	25.4 mm	19.05 mm
30.876-36.875 in	1 in	0.75 in	785-936 mm	25.4 mm	19.05 mm
36.876-42.875 in	1 in	0.75 in	937-1089 mm	25.4 mm	19.05 mm
42.876-48.875 in	1 in	0.75 in	1090-1241 mm	25.4 mm	19.05 mm
48.876-54.875 in	1 in	0.75 in	1242-1393 mm	25.4 mm	19.05 mm
54.876-60.875 in	1 in	0.75 in	1394-1546 mm	25.4 mm	19.05 mm
6.876-12.875 in	1.125 in	0.875 in	175-327 mm	28.58 mm	22.23 mm
12.876-18.875 in	1.125 in	0.875 in	328-479 mm	28.58 mm	22.23 mm
18.876-24.875 in	1.125 in	0.875 in	480-631 mm	28.58 mm	22.23 mm
24.876-30.875 in	1.125 in	0.875 in	632-784 mm	28.58 mm	22.23 mm
30.876-36.875 in	1.125 in	0.875 in	785-936 mm	28.58 mm	22.23 mm

36.876-42.875 in	1.125 in	0.875 in	937-1089 mm	28.58 mm	22.23 mm
42.876-48.875 in	1.125 in	0.875 in	1090-1241 mm	28.58 mm	22.23 mm
48.876-54.875 in	1.125 in	0.875 in	1242-1393 mm	28.58 mm	22.23 mm
54.876-60.875 in	1.125 in	0.875 in	1394-1546 mm	28.58 mm	22.23 mm
60.876-66.875 in	1.125 in	0.875 in	1547-1698 mm	28.58 mm	22.23 mm
66.876-72.875 in	1.125 in	0.875 in	1699-1851 mm	28.58 mm	22.23 mm
6.876-12.875 in	1.25 in	1 in	175-327 mm	31.75 mm	25.4 mm
12.876-18.875 in	1.25 in	1 in	328-479 mm	31.75 mm	25.4 mm
18.876-24.875 in	1.25 in	1 in	480-631 mm	31.75 mm	25.4 mm
24.876-30.875 in	1.25 in	1 in	632-784 mm	31.75 mm	25.4 mm
30.876-36.875 in	1.25 in	1 in	785-936 mm	31.75 mm	25.4 mm
36.876-42.875 in	1.25 in	1 in	937-1089 mm	31.75 mm	25.4 mm
42.876-48.875 in	1.25 in	1 in	1090-1241 mm	31.75 mm	25.4 mm
48.876-54.875 in	1.25 in	1 in	1242-1393 mm	31.75 mm	25.4 mm
54.876-60.875 in	1.25 in	1 in	1394-1546 mm	31.75 mm	25.4 mm
60.876-66.875 in	1.25 in	1 in	1547-1698 mm	31.75 mm	25.4 mm
66.876-72.875 in	1.25 in	1 in	1699-1851 mm	31.75 mm	25.4 mm
6.876-12.875 in	1.375 in	1.125 in	175-327 mm	34.93 mm	28.58 mm

12.876-18.875 in	1.375 in	1.125 in	328-479 mm	34.93 mm	28.58 mm
18.876-24.875 in	1.375 in	1.125 in	480-631 mm	34.93 mm	28.58 mm
24.876-30.875 in	1.375 in	1.125 in	632-784 mm	34.93 mm	28.58 mm
30.876-36.875 in	1.375 in	1.125 in	785-936 mm	34.93 mm	28.58 mm
36.876-42.875 in	1.375 in	1.125 in	937-1089 mm	34.93 mm	28.58 mm
42.876-48.875 in	1.375 in	1.125 in	1090-1241 mm	34.93 mm	28.58 mm
48.876-54.875 in	1.375 in	1.125 in	1242-1393 mm	34.93 mm	28.58 mm
54.876-60.875 in	1.375 in	1.125 in	1394-1546 mm	34.93 mm	28.58 mm
60.876-66.875 in	1.375 in	1.125 in	1547-1698 mm	34.93 mm	28.58 mm
66.876-72.875 in	1.375 in	1.125 in	1699-1851 mm	34.93 mm	28.58 mm
6.876-12.875 in	1.5 in	1.25 in	175-327 mm	38.1 mm	31.75 mm
12.876-18.875 in	1.5 in	1.25 in	328-479 mm	38.1 mm	31.75 mm
18.876-24.875 in	1.5 in	1.25 in	480-631 mm	38.1 mm	31.75 mm
24.876-30.875 in	1.5 in	1.25 in	632-784 mm	38.1 mm	31.75 mm
30.876-36.875 in	1.5 in	1.25 in	785-936 mm	38.1 mm	31.75 mm
36.876-42.875 in	1.5 in	1.25 in	937-1089 mm	38.1 mm	31.75 mm
42.876-48.875 in	1.5 in	1.25 in	1090-1241 mm	38.1 mm	31.75 mm
48.876-54.875 in	1.5 in	1.25 in	1242-1393 mm	38.1 mm	31.75 mm

in			mm		
54.876-60.875 in	1.5 in	1.25 in	1394-1546 mm	38.1 mm	31.75 mm
60.876-66.875 in	1.5 in	1.25 in	1547-1698 mm	38.1 mm	31.75 mm
66.876-72.875 in	1.5 in	1.25 in	1699-1851 mm	38.1 mm	31.75 mm
6.876-12.875 in	1.625 in	1.375 in	175-327 mm	41.28 mm	34.93 mm
12.876-18.875 in	1.625 in	1.375 in	328-479 mm	41.28 mm	34.93 mm
18.876-24.875 in	1.625 in	1.375 in	480-631 mm	41.28 mm	34.93 mm
24.876-30.875 in	1.625 in	1.375 in	632-784 mm	41.28 mm	34.93 mm
30.876-36.875 in	1.625 in	1.375 in	785-936 mm	41.28 mm	34.93 mm
36.876-42.875 in	1.625 in	1.375 in	937-1089 mm	41.28 mm	34.93 mm
42.876-48.875 in	1.625 in	1.375 in	1090-1241 mm	41.28 mm	34.93 mm
48.876-54.875 in	1.625 in	1.375 in	1242-1393 mm	41.28 mm	34.93 mm
54.876-60.875 in	1.625 in	1.375 in	1394-1546 mm	41.28 mm	34.93 mm
60.876-66.875 in	1.625 in	1.375 in	1547-1698 mm	41.28 mm	34.93 mm
66.876-72.875 in	1.625 in	1.375 in	1699-1851 mm	41.28 mm	34.93 mm
6.876-12.875 in	1.75 in	1.5 in	175-327 mm	44.45 mm	38.1 mm
12.876-18.875 in	1.75 in	1.5 in	328-479 mm	44.45 mm	38.1 mm
18.876-24.875 in	1.75 in	1.5 in	480-631 mm	44.45 mm	38.1 mm

24.876-30.875 in	1.75 in	1.5 in	632-784 mm	44.45 mm	38.1 mm
30.876-36.875 in	1.75 in	1.5 in	785-936 mm	44.45 mm	38.1 mm
36.876-42.875 in	1.75 in	1.5 in	937-1089 mm	44.45 mm	38.1 mm
42.876-48.875 in	1.75 in	1.5 in	1090-1241 mm	44.45 mm	38.1 mm
48.876-54.875 in	1.75 in	1.5 in	1242-1393 mm	44.45 mm	38.1 mm
54.876-60.875 in	1.75 in	1.5 in	1394-1546 mm	44.45 mm	38.1 mm
60.876-66.875 in	1.75 in	1.5 in	1547-1698 mm	44.45 mm	38.1 mm
66.876-72.875 in	1.75 in	1.5 in	1699-1851 mm	44.45 mm	38.1 mm
6.876-12.875 in	1.875 in	1.625 in	175-327 mm	47.63 mm	41.28 mm
12.876-18.875 in	1.875 in	1.625 in	328-479 mm	47.63 mm	41.28 mm
18.876-24.875 in	1.875 in	1.625 in	480-631 mm	47.63 mm	41.28 mm
24.876-30.875 in	1.875 in	1.625 in	632-784 mm	47.63 mm	41.28 mm
30.876-36.875 in	1.875 in	1.625 in	785-936 mm	47.63 mm	41.28 mm
36.876-42.875 in	1.875 in	1.625 in	937-1089 mm	47.63 mm	41.28 mm
42.876-48.875 in	1.875 in	1.625 in	1090-1241 mm	47.63 mm	41.28 mm
48.876-54.875 in	1.875 in	1.625 in	1242-1393 mm	47.63 mm	41.28 mm
54.876-60.875 in	1.875 in	1.625 in	1394-1546 mm	47.63 mm	41.28 mm
60.876-66.875 in	1.875 in	1.625 in	1547-1698 mm	47.63 mm	41.28 mm

in			mm		
66.876-72.875 in	1.875 in	1.625 in	1699-1851 mm	47.63 mm	41.28 mm
6.876-12.875 in	2 in	1.75 in	175-327 mm	50.8 mm	44.45 mm
12.876-18.875 in	2 in	1.75 in	328-479 mm	50.8 mm	44.45 mm
18.876-24.875 in	2 in	1.75 in	480-631 mm	50.8 mm	44.45 mm
24.876-30.875 in	2 in	1.75 in	632-784 mm	50.8 mm	44.45 mm
30.876-36.875 in	2 in	1.75 in	785-936 mm	50.8 mm	44.45 mm
36.876-42.875 in	2 in	1.75 in	937-1089 mm	50.8 mm	44.45 mm
42.876-48.875 in	2 in	1.75 in	1090-1241 mm	50.8 mm	44.45 mm
48.876-54.875 in	2 in	1.75 in	1242-1393 mm	50.8 mm	44.45 mm
54.876-60.875 in	2 in	1.75 in	1394-1546 mm	50.8 mm	44.45 mm
60.876-66.875 in	2 in	1.75 in	1547-1698 mm	50.8 mm	44.45 mm
66.876-72.875 in	2 in	1.75 in	1699-1851 mm	50.8 mm	44.45 mm
6.876-12.875 in	2.125 in	1.875 in	175-327 mm	53.98 mm	47.63 mm
12.876-18.875 in	2.125 in	1.875 in	328-479 mm	53.98 mm	47.63 mm
18.876-24.875 in	2.125 in	1.875 in	480-631 mm	53.98 mm	47.63 mm
24.876-30.875 in	2.125 in	1.875 in	632-784 mm	53.98 mm	47.63 mm
30.876-36.875 in	2.125 in	1.875 in	785-936 mm	53.98 mm	47.63 mm

36.876-42.875 in	2.125 in	1.875 in	937-1089 mm	53.98 mm	47.63 mm
42.876-48.875 in	2.125 in	1.875 in	1090-1241 mm	53.98 mm	47.63 mm
48.876-54.875 in	2.125 in	1.875 in	1242-1393 mm	53.98 mm	47.63 mm
54.876-60.875 in	2.125 in	1.875 in	1394-1546 mm	53.98 mm	47.63 mm
60.876-66.875 in	2.125 in	1.875 in	1547-1698 mm	53.98 mm	47.63 mm
66.876-72.875 in	2.125 in	1.875 in	1699-1851 mm	53.98 mm	47.63 mm
6.876-12.875 in	2.25 in	2 in	175-327 mm	57.15 mm	50.8 mm
12.876-18.875 in	2.25 in	2 in	328-479 mm	57.15 mm	50.8 mm
18.876-24.875 in	2.25 in	2 in	480-631 mm	57.15 mm	50.8 mm
24.876-30.875 in	2.25 in	2 in	632-784 mm	57.15 mm	50.8 mm
30.876-36.875 in	2.25 in	2 in	785-936 mm	57.15 mm	50.8 mm
36.876-42.875 in	2.25 in	2 in	937-1089 mm	57.15 mm	50.8 mm
42.876-48.875 in	2.25 in	2 in	1090-1241 mm	57.15 mm	50.8 mm
48.876-54.875 in	2.25 in	2 in	1242-1393 mm	57.15 mm	50.8 mm
54.876-60.875 in	2.25 in	2 in	1394-1546 mm	57.15 mm	50.8 mm
60.876-66.875 in	2.25 in	2 in	1547-1698 mm	57.15 mm	50.8 mm
66.876-72.875 in	2.25 in	2 in	1699-1851 mm	57.15 mm	50.8 mm
6.876-12.875 in	2.375 in	2.125 in	175-327 mm	60.33 mm	53.98 mm

12.876-18.875 in	2.375 in	2.125 in	328-479 mm	60.33 mm	53.98 mm
18.876-24.875 in	2.375 in	2.125 in	480-631 mm	60.33 mm	53.98 mm
24.876-30.875 in	2.375 in	2.125 in	632-784 mm	60.33 mm	53.98 mm
30.876-36.875 in	2.375 in	2.125 in	785-936 mm	60.33 mm	53.98 mm
36.876-42.875 in	2.375 in	2.125 in	937-1089 mm	60.33 mm	53.98 mm
42.876-48.875 in	2.375 in	2.125 in	1090-1241 mm	60.33 mm	53.98 mm
48.876-54.875 in	2.375 in	2.125 in	1242-1393 mm	60.33 mm	53.98 mm
54.876-60.875 in	2.375 in	2.125 in	1394-1546 mm	60.33 mm	53.98 mm
60.876-66.875 in	2.375 in	2.125 in	1547-1698 mm	60.33 mm	53.98 mm
66.876-72.875 in	2.375 in	2.125 in	1699-1851 mm	60.33 mm	53.98 mm
6.876-12.875 in	2.5 in	2.25 in	175-327 mm	63.5 mm	57.15 mm
12.876-18.875 in	2.5 in	2.25 in	328-479 mm	63.5 mm	57.15 mm
18.876-24.875 in	2.5 in	2.25 in	480-631 mm	63.5 mm	57.15 mm
24.876-30.875 in	2.5 in	2.25 in	632-784 mm	63.5 mm	57.15 mm
30.876-36.875 in	2.5 in	2.25 in	785-936 mm	63.5 mm	57.15 mm
36.876-42.875 in	2.5 in	2.25 in	937-1089 mm	63.5 mm	57.15 mm
42.876-48.875 in	2.5 in	2.25 in	1090-1241 mm	63.5 mm	57.15 mm
48.876-54.875	2.5 in	2.25 in	1242-1393	63.5 mm	57.15 mm

in			mm		
54.876-60.875 in	2.5 in	2.25 in	1394-1546 mm	63.5 mm	57.15 mm
60.876-66.875 in	2.5 in	2.25 in	1547-1698 mm	63.5 mm	57.15 mm
66.876-72.875 in	2.5 in	2.25 in	1699-1851 mm	63.5 mm	57.15 mm
6.876-12.875 in	2.75 in	2.5 in	175-327 mm	69.85 mm	63.5 mm
12.876-18.875 in	2.75 in	2.5 in	328-479 mm	69.85 mm	63.5 mm
18.876-24.875 in	2.75 in	2.5 in	480-631 mm	69.85 mm	63.5 mm
24.876-30.875 in	2.75 in	2.5 in	632-784 mm	69.85 mm	63.5 mm
30.876-36.875 in	2.75 in	2.5 in	785-936 mm	69.85 mm	63.5 mm
36.876-42.875 in	2.75 in	2.5 in	937-1089 mm	69.85 mm	63.5 mm
42.876-48.875 in	2.75 in	2.5 in	1090-1241 mm	69.85 mm	63.5 mm
48.876-54.875 in	2.75 in	2.5 in	1242-1393 mm	69.85 mm	63.5 mm
54.876-60.875 in	2.75 in	2.5 in	1394-1546 mm	69.85 mm	63.5 mm
60.876-66.875 in	2.75 in	2.5 in	1547-1698 mm	69.85 mm	63.5 mm
66.876-72.875 in	2.75 in	2.5 in	1699-1851 mm	69.85 mm	63.5 mm
6.876-12.875 in	3 in	2.75 in	175-327 mm	76.2 mm	69.85 mm
12.876-18.875 in	3 in	2.75 in	328-479 mm	76.2 mm	69.85 mm
18.876-24.875 in	3 in	2.75 in	480-631 mm	76.2 mm	69.85 mm

24.876-30.875 in	3 in	2.75 in	632-784 mm	76.2 mm	69.85 mm
30.876-36.875 in	3 in	2.75 in	785-936 mm	76.2 mm	69.85 mm
36.876-42.875 in	3 in	2.75 in	937-1089 mm	76.2 mm	69.85 mm
42.876-48.875 in	3 in	2.75 in	1090-1241 mm	76.2 mm	69.85 mm
48.876-54.875 in	3 in	2.75 in	1242-1393 mm	76.2 mm	69.85 mm
54.876-60.875 in	3 in	2.75 in	1394-1546 mm	76.2 mm	69.85 mm
60.876-66.875 in	3 in	2.75 in	1547-1698 mm	76.2 mm	69.85 mm
66.876-72.875 in	3 in	2.75 in	1699-1851 mm	76.2 mm	69.85 mm
6.876-12.875 in	3.25 in	2.875 in	175-327 mm	82.55 mm	73.03 mm
12.876-18.875 in	3.25 in	2.875 in	328-479 mm	82.55 mm	73.03 mm
18.876-24.875 in	3.25 in	2.875 in	480-631 mm	82.55 mm	73.03 mm
24.876-30.875 in	3.25 in	2.875 in	632-784 mm	82.55 mm	73.03 mm
30.876-36.875 in	3.25 in	2.875 in	785-936 mm	82.55 mm	73.03 mm
36.876-42.875 in	3.25 in	2.875 in	937-1089 mm	82.55 mm	73.03 mm
42.876-48.875 in	3.25 in	2.875 in	1090-1241 mm	82.55 mm	73.03 mm
48.876-54.875 in	3.25 in	2.875 in	1242-1393 mm	82.55 mm	73.03 mm
54.876-60.875 in	3.25 in	2.875 in	1394-1546 mm	82.55 mm	73.03 mm
60.876-66.875	3.25 in	2.875 in	1547-1698	82.55 mm	73.03 mm

in			mm		
66.876-72.875 in	3.25 in	2.875 in	1699-1851 mm	82.55 mm	73.03 mm